



ر

HOW SMALL THE NUMBER OF TEST ITEMS CAN BE FOR THE BASIS OF ESTIMATING THE OPERATING CHARACTERISTICS OF THE DISCRETE RESPONSES TO UNKNOWN TEST ITEMS

AD A 109187

**FUMIKO SAMEJIMA** 

AND

**PAUL S. CHANGAS** 

DEPARTMENT OF PSYCHOLOGY UNIVERSITY OF TENNESSEE KNOXVILLE, TENN. 37996-0900

**NOVEMBER, 1981** 



OTIC FILE COPY

Prepared under the contract number NOOO14-77-C-0360, NR 150-402 with the Personnel and Training Research Programs Psychological Sciences Division Office of Naval Research

Approved for public release; distribution unlimited. Reproduction in whole or in part is permitted for any purpose of the United States Government.



Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION	N PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
. REPORT NUMBER	2. GOVT ACCESSION NO.	
Research Report 81-3	1A D- 1211	1187
TITLE (and Sublitio) How Small the Number of Test 1	tems Can Be for	5. TYPE OF REPORT & PERIOD COVERED
the Basis of Estimating the Op		Technical Report
Characteristics of the Discret Unknown Test Items	e Responses to	6. PERFORMING ORG. REPORT NUMBER
. AUTHOR(s)		S. CONTRACT OR GRANT NUMBER(*)
Fumiko Samejima and Paul Chang	as	N00014-77-C-0360
PERFORMING ORGANIZATION NAME AND ADDRE	\$\$	10. PROGRAM ELEMENT, PROJECT, TASK
Department of Psychology		PE: 61153N; PROJ: RR 042-
University of Tennessee Knoxville, Tennessee 37916	1.	TA: RR 042-04-01 WU: NR 150-402
CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
Personnel and Training Research	h Programe	16 November 81
Office of Naval Research		13. NUMBER OF PAGES
Arlington, VA 22217		80
MONITORING AGENCY NAME & ADDRESS(II dille	ent from Controlling Office)	15. SECURITY CLASS. (of this report)
		Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
DISTRIBUTION STATEMENT (of this Report)		
Approved for public release in whole or in part is permitt government.	ed for any purpose	e of the United States
DISTRIBUTION STATEMENT (of the ebetrect enters	d in Block 20, il dillerent froi	ELECTE JAN 4 1989
. KEY WORDS (Continue on reverse side if necessary	and Ideallfu by block are been	Jr.
Operating Characteristic Estim	•	
Tailored Testing	RELION	as the time of
Latent Trait Theory		<b>See</b> 1 reference in
ABSTRACT (Continue on reverse side if necessary a	nd identify by block number)	
(Please see reverse side)		

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

S'N 0102- LF- 014- 6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

The methods and approaches for estimating the operating characteristics of the discrete item responses without assuming any mathematical form have been developed and expanded. It has been made possible that, even if the test information function of a given test is not constant for the interval of ability of our interest, we use it as our Old Test. Our original Old Test consists of thirty-five test items with three item score categories each. Recently, we experimented upon the Simple Sum Procedure of the Conditional P.D.F. Approach which is combined with the Normal Approach Method, using each of three subtests of the original Old Test, and the results turned out to be successful. In the present study, we experiment on the same combination of approach and method by using several subtests of the original Old Test, which contain fifteen or less test items each, to find out if each of them can still be used as the Old Test, which maintains the accuracy of estimation reasonably high.



0102- .7-014-6601

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE/When Data Entered)

HOW SMALL THE NUMBER OF TEST ITEMS CAN BE FOR THE BASIS OF ESTIMATING THE OPERATING CHARACTERISTICS OF THE DISCRETE RESPONSES TO UNKNOWN TEST ITEMS

#### **ABSTRACT**

The methods and approaches for estimating the operating characteristics of the discrete item responses without assuming any mathematical form have been developed and expanded. It has been made possible that, even if the test information function of a given test is not constant for the interval of ability of our interest, we use it as our Old Test. Our original Old Test consists of thirty-five test items with three item score categories each. Recently, we experimented upon the Simple Sum Procedure of the Conditional P.D.F. Approach which is combined with the Normal Approach Method, using each of three subtests of the original Old Test, and the results turned out to be successful. In the present study, we experiment on the same combination of approach and method by using several subtests of the original Old Test, which contain fifteen or less test items each, to find out if each of them can still be used as the Old Test, which Accession For maintains the accuracy of estimation reasonably high.

NTIS GRALI DTIC TAB Unannounced Justification Distribution/ Availability Godes Acail and, or

M

Special Dist

The research was conducted at the principal investigator's laboratory, 409 Austin Peay Hall, Department of Psychology, University of Tennessee. Those who worked in the laboratory and helped the authors in various ways for this research include Charles McCarter, C. I. Bonnie Chen, Zailan Mohamed, Shiao-Yung Chen and Pat Palmer.

### TABLE OF CONTENTS

		Page
I	Introduction	1
11	Six Subtests of the Original Old Test	2
III	Approximation of the Density Function of $\hat{\tau}$ by a Polynomial Using the Method of Moments	18
IV	Estimation of the Item Characteristic Functions of the Ten Binary Test Items	28
v	Linear Regression of the Maximum Likelihood Estimate $\hat{\tau}_s$ on Ability $\hat{\tau}_s$	62
VI	Discussion and Conclusions	68
	References	69
	List of ONR Technical Reports	70
	Appendix	72

#### I Introduction

In previous studies (Samejima, RR-80-4, RR-81-2), three subtests of the original Old Test, i.e., Subtests 1, 2 and 3, have each been used as the Old Test, in place of the original one, in the estimation of the item characteristic functions of ten unknown, binary test items. The main features of these studies are: 1) the number of test items in each Old Test is much less than that of the original Old Test and, as the result, the amount of test information is less than that of the original Old Test for any fixed value of ability  $\theta$ ; 2) the test information function of each Old Test is not constant for the interval of  $\theta$  of our interest, making it necessary to transform ability  $\theta$  to its strictly increasing function  $\tau$ , for which our Old Test has a constant test information function; and 3) in so doing, the method of moments for fitting polynomials, which also is the least squares solution (Samejima and Livingston, RR-79-2), is effectively used.

In these studies, the combination of the Simple Sum Procedure of the Conditional P.D.F. Approach and the Normal Approach Method was consistently used. Our calibration data are based upon the five hundred hypothetical examinees whose ability levels are one hundred equally spaced positions starting from -2.475 and ending with 2.475, with five examinees sharing each position. The results turned out to be quite successful.

In the present study, we shall investigate the possibility of further reducing the number of test items in the Old Test. In other words, we shall find out how robust our methods can be over the reduction in the amount of test information of the Old Test. Throughout the present study, we shall use the same combination of a method and an approach and the same group of hypothetical examinees as in the previous studies.

### II Si. Subtests of the Original Old Test

Let g denote an item of the original Old Test, and  $x_g$  (=0,1,..., $m_g$ ) be the graded item score of item g . The operating characteristic of the graded item score  $x_g$  is denoted by  $P_{x_g}(\theta)$ , and follows the normal ogive model such that

(2.2) 
$$P_{x_g}^{(\theta)} = (2\pi)^{-1/2} \int_{a_g(\theta-b_{x_g+1})}^{a_g(\theta-b_{x_g+1})} e^{-u^2/2 du},$$

where a (>0) is the item discrimination parameter, and b is the item response difficulty parameter which satisfies

(2.2) 
$$-\infty = b_0 < b_1 < b_2 < \dots < b_m < b_{(m_g+1)} = \infty$$

With our original Old Test,  $m_g = 2$  for each item. Table 2-1 presents the item discrimination parameter,  $a_g$ , and the two item response difficulty parameters,  $b_1$  and  $b_2$ , for each of the thirty-five test items.

There are six subtests of the original Old Test, each of which we used as the Old Test in the present study. They are called Subtests 4, 5, 6, 7, 8 and 9, respectively. The numbers of test items included by these six subtests are 15, 15, 11, 9, 7 and 5, respectively. These test items are marked with crosses in Table 2-1, indicating which item belongs to each subtest. We notice that Subtest 4 is a subtest of Subtest 2, as well as of the original Old Test, just as Subtest 3 is a subtest of Subtest 1 (Samejima, RR-80-4, RR-81-2).

The importance of the square root of the test information function,  $I(\theta)$ , of the Old Test in the estimation of the operating characteristics of the discrete item responses has previously been demonstrated (Samejima, RR-80-2, RR-80-4, RR-81-2). Among other reasons, it has an important role in transforming ability  $\theta$  to  $\tau$ , when it is not

. - .

TABLE 2-1

Item Discrimination Parameter,  $a_g$ , and Item Response Difficulty Parameters,  $b_{xg}$ , for  $x_g = 1$  and  $x_g = 2$ , for Each of the Thirty-five Test Items of the Original Old Test. Items Included by Subtests 4, 5, 6, 7, 8 and 9 Are Marked By Crosses, Respectively.

Item g	<b>a</b> _8	<b>b</b> 1	b <sub>2</sub>	Subtest 4	Subtest 5	Subtest 6	Subtest 7	Subtest 8	Subtest 9
1	1.8	-4.75	-3.75						
	1.9	-4.50	-3.50			1	X	i	1
3	2.0	-4.25	-3.25	1	1	) X		×	
2 3 4	1.5	-4.00	-3.00	ļ	X			1	X
5	1.6	-3.75	-2.75	1	1	i	i		
5 6	1.4	-3.50	-2.50	X	X	X	X	j	Í
7	1.9	-3.00	-2.00	X	]	1	•	1	
7 8 9	1.8	-3.00	-2.00	X X	X	İ		X	
9	1.6	-2.75	-1.75	j x		X		f	
10	2.0	-2.50	-1.50	X	) X	Ì	X	]	
11	1.5	-2.25	-1.25	į x	J	i		ĺ	x
12	1.7	-2.00	-1.00	X	) x	X			1
13	1.5	-1.75	-0.75	1				X	i
14	1.4	-1.50	~0.50	1	X	İ	X		i
15	2.0	-1.25	-0.25	Ţ	1	j x		!	i
16	1.6	-1.00	0.00	ĺ	) x	•	}	1	Į
17	1.8	-0.75	0.25	1			i		
18	1.7	-0.50	0.50	l	( X	, x	X	×	×
19	1.9	-0.25	0.75	]	1	1	i		
20	1.7	0.00	1.00	l	X		l	[	l
21	3.5	0.25	1.25	ŀ		X	l _	1	i
22	1.8	0.50	1.50	1	l x	į	×		ł
23	1.4	0.75	1.75	X				X	
24	1.9	1.00	2.00	X	x	x	l	ł	l .
?5	2.0	1.25	2.25	X	_	1	1 -	ĺ	X
26	1.6	1.50	2.50	X	X	l .	X		
27	1.7	1.75	2.75	X		X	Į.		Į.
28	1.4	2.00	3.00	X	) x	]	Ì	X	
29	1.9	2.25	3,25	X		x	x	<b>!</b>	į.
30	1.6	2.50	3.50	X	) x	, <b>,</b>		l	ĺ
31	1.5	2.75	3,75	Į.	, x	į.	<b>l</b>	}	x
32	1.7	3.00	4.00	I	, , , , , , , , , , , , , , , , , , ,	l x	l	l x	^
33	1.8	3.25	4.25	1	1	, *	x		}
34	2.0	3.50	4.50	1			•		
35	1.4	3.75	4.75	i	ł	l	j	l	

constant for the interval of  $\theta$  of our interest. Figure 2-1 presents the square root of the test information function of each of the six subtests by solid curves.

Polynomials of degree 3, 4, 5, 6 and 7 were fitted to the square root of the test information of each subtest by the method of moments.  $\Sigma = \alpha_k \theta^k$  (m=3,4,5,6,7), which were obtained by These polynomials, using the interval of  $\theta$  , [-4.0, 4.0] , are plotted in Figure 2-1 by dots, for each of the six subtests. Out of these five polynomials for each subtest, that of degree 7 was selected as the approximation to the square root of the test information function and used in the process of the transformation of  $\theta$  to  $\tau$  . Table 2-2 presents the coefficients  $\alpha_{i}$  (k=0,1,2,3,4,5,6,7) of this polynomial and, in Appendix as Table A-1, we find those for the other four polynomials, for each subtest. It has been pointed out (Samejima and Livingston, RR-79-2) that the selection of an appropriate interval of  $\theta$  is very important in fitting a polynomial for a specific function. From Figure 2-1, we can see that for each subtest the polynomial of degree 7 fits well to the square root of the test information function. We also experimented with the interval, [-3.0, 3.0], for Subtest 4, and the results turned out to be less than satisfactory. These results are shown in Appendix, as Figure A-1, and their coefficients are presented in Table A-2.

It has been shown (Samejima, RR-80-2) that the transformation of ability  $\theta$  to  $\tau$ , which provides us with a constant amount of test information,  $T*(\tau) = C^2$ , for our Old Test, can be obtained as another polynomial of degree m+1, such that

(2.3) 
$$\tau = \sum_{k=0}^{m+1} \alpha_k^* \theta^k$$

where

**.** .




FIGURE 2-1

Square Root of the Test Information Function,  $\left[I(\theta)\right]^{1/2}$ , (Solid Curve) of Each of the Six Subtests and Its Approximation by a Polynomial (Dotted Curve), Which was Fitted by the Method of Moments with [-4.0, 4.0] as the Interval of  $\theta$ . The Degrees of the Five Polynomials are 3, 4, 5, 6 and 7, Respectively.




FIGURE 2-1 (Continued)

The state of the s




FIGURE 2-1 (Continued)




FIGURE 2-1 (Continued)

Section 1




FIGURE 2-1 (Continued)




FIGURE 2-1 (Continued)

TABLE 2-2

Coefficients of the Polynomial of Degree 7 Obtained by the Method of Moments Using the Interval of  $\theta$ , (-4.0, 4.0), to Approximate the Square Root of the Test Information Function for Each of the Six Subtests.

		α <sub>k</sub>	
k	Subtest 4	Subtest 5	Subtest 6
0	0.20653741D+01	0,33028985D+01	0.28244081D+01
1	0.30418478D+00	0.23005688D+00	-0.38865645D-01
2	0.83359597D+00	0.68038274D-02	-0.89251467D-01
3	-Q.99045455D-01	-0.10158474D+00	0.31726461D-01
4	-0.10345640D+00	-0.45492312D-02	0.14561530D-01
5	0.10055738D-01	0.11649033D-01	-0.41758069D-02
6	0.31140746D-02	-0.17744225D-03	-0.86600132D-03
7	-0.31461009D-03	-0.38798596D-03	0.14748755D-03

•		°k	
k	Subtest 7	Subtest 8	Subtest 9
0	0.23698838D+01	0.20794533D+01	0.18031475D+01
1	0.20090568D+00	0.44515686D-01	0.17911113D+00
2	-0.67057488D-01	-0.13624656D+00	-0.17773403D-01
3	-0.89954850D-01	-0.38893432D-01	-0.28202923D-01
4	0.14720463D-01	0.28958024D-01	0.46765970D-02
5	0.10798462D-01	0.43578763D-02	0.15433890D-02
6	-0.85028384D-03	-0.14683524D-02	-0.40858826D-03
7	-0.37494191D-03	-0.13598905D-03	-0.27032925D-04

(2.4) 
$$\alpha_{k}^{*}$$
  $\begin{cases} = d & \text{for } k = 0 \\ = (Ck)^{-1} \alpha_{k-1} & \text{for } k = 1, 2, ..., m, m+1 \end{cases}$ 

where d is an arbitrarily set constant for adjusting the origin of  $\tau$  . For our purpose, we used C = 3.5 , and d = 0 . Table 2-3 presents the resultant nine coefficients,  $\alpha_{k}^{k}$  (k=0,1,2,3,4,5,6,7,8), for each of the six subtests. Figure 2-2 presents the functional relationship between  $\theta$  and  $\tau$ , for each subtest. As is expected from the square root of the test information function of each subtest, which is shown in Figure 2-1, the transformation of  $\theta$  to  $\tau$  is close to linear, except for Subtest 4. The interval of t corresponding to the interval of  $\theta$ , [-4.0, 4.0], is [-3.36106, 3.57935] for Subtest 4, [-3.39905, 3.46366] for Subtest 5, [-2.93479, 2.97885] for Subtest 6, [-2.54949, 2.63541] for Subtest 7, [-2.33633, 2.18084] for Subtest 8 and [-1.82137, 2.08427] for Subtest 9. We notice that, as the number of test items decreases, the interval of  $\tau$  is shortened. This comes from the fact that the square root of the test information decreases as the number of test items decreases, and yet we used the same constant, C = 3.5, for each of the six subtests.

Figure 2-3 presents the square root of the test information function,  $\left[I^*(\tau)\right]^{1/2}$ , which was obtained by the polynomial transformation of  $\theta$  to  $\tau$ , such that

(2.5) 
$$[I^*(\tau)]^{1/2} = [I(\theta)]^{1/2} \frac{d\theta}{d\tau}$$

$$= [I(\theta)]^{1/2} C \left[\sum_{k=0}^{m} \alpha_k \theta^k\right]^{-1},$$

by dots, together with the horizontal line indicating C = 3.5, for each of the six subtests. We can see in this figure that the actual square root of the test information is very close to the target constant, for most subtests. For Subtest 4 and Subtest 9, however, we can see some noticeable discrepancies between the two.

TABLE 2-3 Coefficients of the Polynomial of Degree 8 Transforming  $\theta$  to  $\tau$  for Each of the Six Subtests.

L		α <sup>*</sup> k	_
k	Subtest 4	Subtest 5	Subtest 6
0	0.0000000D+00	0.0000000D+00	0.00000000D+00
1	0.59010689D+00	0.94368529D+00	0.80697374D+00
2	0.43454969D-01	0.32865269D-01	-0.55522350D-02
3	0.79390092D-01	0.64798356D-03	-0.85001397D-02
4	-0.70746754D-02	-0.72560529D-02	0.22661758D-02
5	-0.59117943D-02	-0.25995607D-03	0.83208743D-03
6	0.47884467D-03	0.55471586D-03	-0.19884795D-03
7	0.12710509D-03	-0.72425408D-05	-0.35346993D-04
8	-0.11236075D-04	-0.13856641D-04	0.52674125D-05

		a* k	
k	Subtest 7	Subtest 8	Subtest 9
0	0.000000000+00	0.00000000D+00	0.00000000D+00
1	0.67710966D+00	0.59412951D+00	0.51518500D+00
2	0.28700811D-01	0.63593837D-02	0.25587311D-01
3	-0.63864274D-02	-0.12975863D-01	-0.16927050D-02
4	-0.64253464D-02	-0.27781023D-02	-0.20144945D-02
5	0.84116931D-03	0.16547442D-02	0.26723411D-03
6	0.51421248D-03	0.20751792D-03	0.73494714D-04
7	-0.34705463D-04	-0.59932751D-04	-0.16677072D-04
8	-0.13390782D-04	-0.48567518D-05	-0.96546161D-06




FIGURE 2-2

Functional Relationship Between the Transformed Latent Trait  $\tau$  and the Original Latent Trait  $\theta$ , Based upon the Polynomial of Degree 8, for Each of the Six Subtests.

The state of the s





FIGURE 2 · 2 (Continued)






FIGURE 2-3

Square Root of the Test Information Function,  $[I^*(\theta)]^{1/2}$ , (Dotted Curve), Resultant from the Transformation of  $\theta$  to  $\tau$  by the Polynomial of Degree 8, in Comparison with the Target Constant Amount of 3.5 (Solid Line), for Each of the Six Subtests.

## III Approximation of the Density Function of t by a Polynomial Using the Method of Moments

As was mentioned in Chapter 1, in the present study, we used the same five hundred hypothetical examinees as we did in the previous studies (Samejima, RR-77-1, RR-78-1, RR-78-2, RR-78-3, RR-78-4, RR-78-5, RR-78-6, RR-70-2, RR-80-4, RR-81-2). The maximum likelihood estimate,  $\hat{\theta}_{s}$ , for each examinee s, was obtained from his response pattern for each of the six subtests, Subtests 4 through 9, using the basic functions (cf. Samejima, 1969, 1972). As it exped out, for Subtest 9, two examinees, No. 2 and No. 99, obtained negative and positive infinities as their maximum likelihood estimates, respectively. Since there are only two non-finite estimates, we excluded these two examinees from the total group, instead of using some substitute estimates (cf. Samejima, RR-80-3, RR-81-1), and used the remaining 498 examinees for Subtest 9, whereas for all the other five subtests the original group of 500 examinees was used.

By virtue of the transformation-free character of the maximum likelihood estimate (Samejima, 1969),  $\hat{\theta}_{_{\rm S}}$  thus obtained can be transformed to the other maximum likelihood estimate,  $\hat{\tau}_{_{\rm S}}$ , through the same polynomial transformation given by (2.3). Using (2.3) and the coefficients,  $\alpha_{_{\rm K}}^{\star}$  (k=0,1,2,3,4,5,6,7,8), which are shown in Table 2-3, we transformed  $\hat{\theta}_{_{\rm S}}$  to  $\hat{\tau}_{_{\rm S}}$  for the 500 examinees for each of the Subtests 4 through 8, and for the 498 examinees for Subtest 9.

Table 3-1 presents the first through tenth sample moments about the origin, and those about the midpoint, of the set of  $\hat{\tau}_g$ , which is based upon each of the six Old Tests, i.e. Subtests 4 through 9. The midpoint of the set of  $\hat{\tau}_g$ 's turned out to be 0.1026 for Subtest 4, 0.0684 for Subtest 5, 0.1934 for Subtest 6, 0.0426 for Subtest 7, -0.2807 for Subtest 8, and 0.1175 for Subtest 9. This midpoint and the first p moments about the midpoint were used in applying the method of moments (Elderton and Johnson, 1969) for fitting a polynomial of degree p, the detailed procedure of which is described in a previous study (Samejima, RR-77-1). Table 3-2 presents the resultant five sets

TABLE 3-1

First Through Tenth Sample Moments of î about the Origin for Our Hypothetical Examinees, and the Corresponding Sample Moments about the Midpoint, for Each of the Six Subtests.

Number of Hypothetical Examinees in Each Sample is Also Shown.

L				Moments Ab	Moments About Origin		
		Subtest 4	Subtest 5	Subtest 6	Subtest 7	Subtest 8	Subtest 9
L	1 0	0.541174000-01	0.227860000-01	-0.201400000-03	0.231636301-01	-0.106836000-01 0.764770910 00	0.533477910-01
	m 4					•	
	2		196051300		361036540		_
	9 ^	0.22158191D 02 0.12635598D 02	0.382558770 02	0.133544810 02	0.226282520 01	0.239659090 01 -0.121831690 01	0.154731890 01
	<b>&amp;</b> (		.225328620				_
•	201	0.711396650 03	0.152972150	0.237770970 03	0.696229270 02	0. 10496161901.0	0.635001720 01
<u></u> .				Moments Abo	About Midpoint		
		Subtest 4	Subtest 5	Subtest 6	Subtest 7	Subtest 8	Subtest 9
<u>L</u> .	110	-0.464626000-01	-0.454140000-01 0.200192240 01	-0.19366:400 00	-0.194364000-01	0.270016400 00	-0.64152209D-01
					•		-0.596771770-01
	+ 10		• •		0.10200100 00		
	9 ^	-0.30304234E 01	.27559360	0.153265030 02 -0.171004060 02	0.5054056140 01	0.328652360 01	0.14302052B 01 -0.12492143B 00
<u></u>	80	0.115134140 03			0.18607810D 02 0.20844964D 01	0.877633870 01 0.113473480 02	
	10	0.676240600 03	0.146770370 04	0.300751010 03	0.673902580 62		0-676646750 01
Number of Examinees	of ees	500	500	200	200	500	867

TARLE 3-2

Coefficients,  $\omega_j$ , of the Polynomials of Degrees 3 Through 7, Which Were Obtained by the Method of Moments, to Approximate the Density Function,  $\hat{g}(\hat{\tau})$ , for Each of the Six Subtests.

_			Coefficient	ient e		
	Subtest 4	Subtest 5	Subtest 6	Subtest 7	Subtest 8	Subtest 9
01/26	0.280648875744 -0.48027885D-02 -0.39530649D-01 0.20722819D-02	0.237106800+00 -0.40260384D-02 -0.2368535D-01 0.86421644D-03	0.27675041D+00 0.72069596D-02 -0.34926777D-01 -0.32393809D-02	0.32989144D+00 -0.11139437D-01 -0.64056925D-01 0.45084767D-02	0.37924040D+00 0.23362577D-01 -0.94378124D-01 -0.94127572D-02	0.42403040b+65 -0.31365098b-01 -0.13877014b+00 0.24177672b-03
4· MGB	0.30042586b+00 0.67956150b-03 -0.66071432b-01 0.35374619b-03 0.41874652b-02	0.21343248b+00 -0.74730099b-02 0.14716600b-02 0.17186031b-02 -0.31250428b-02	0.260783760+00 -0.321409280-02 -0.875256840-02 0.729069550-03	0.31154572b+00 -0.14;37947b-01 -0.28;78862b-01 0.58497537b-02 -0.788 15931b-02	0.367576650+00 0.430861790-01 -0.626897310-01 -0.216838360-01	0.402990490+00 -0.47557111D-01 -0.71262116D-01 0.36261431D-01
0 H 0 H 0 H 0 H 0 H 0 H 0 H 0 H 0 H 0 H	0.30234305D+00 -0.17759677D-01 -0.69673897D-01 0.1198256D-01 0.49140991D-02 -0.14164404D-02	0.21339774b+00 -0.69671678b-02 0.15233010b-02 0.14675073b-02 -0.31332741b-02 0.2406.5806b-04	0.25601295D+00 0.20043890D-01 0.21042253D-02 -0.1784924D-01 0.27597516D-02	0.31217849D+00 -0.28961057D-01 -0.30576762D-01 0.1912321D-01 -0.73922332D-02	0.34514841E+00 -0.209633770-01 0.19905560-01 0.638595090-01 -0.444326850-01	0.40645552D+00 -0.75841476D-01 -0.86733084D-01 0.79003567D-01 -0.18276505D-01
0 11 12 14 14 14 14 14 14 14 14 14 14 14 14 14	0.302521531400 -0.17654561D-01 -0.70177475D-01 0.11873806D-01 0.51177376D-02 -0.14039381D-02	0.19087739D+00 -0.13678290D-01 0.51778851D-01 0.58725679D-02 -0.19186744D-01 -0.49099147D-03	0.2433641D+00 0.18454616D-02 0.45674854D-01 0.52789384D-03 -0.29797514D-01 -0.46615442D-03 0.27799943D-02	0.28339981D+00 -0.38864235D-01 0.85309368D-01 0.0514568D-01 -0.14150743D-02 0.94135397D-02	0.326456770+00 0.608292570-01 0.127669740+00 671148470-01 -0.142592770+00 0.156504060-01	0.36748907b+00 -0.14100846b+00 0.17590607b+00 0.20407473b+00 -0.27583372b+00 0.56942346b-01 0.62814462b-01
76 M P M C M	0.30515755b+00 -0.42690648b-01 -0.79730014b-01 0.42262785b-01 0.982772790-02 -0.10472358b-01 -0.57024974b-03 0.76572083b-03	0.19107767b+00 -0.16782234b-01 0.51204621b-01 0.86525981b-02 -0.18962999-01 -0.112353603b-02 0.430952699-04	0.24641184b+00 -0.12155795b-01 0.32300476b-01 0.21484259b-01 -0.21759416b-01 -0.21759416b-02 0.16290614b-02 0.85015024b-03	0.28332638b+00 -0.37149298b-01 0.85689345b-01 0.275530265-01 -0.74417913b-01 -0.34467281b-02 0.94579597b-02	0.306559290+00 0.181510900-01 0.269069610+00 0.462437690-01 -0.283019120+00 -0.653867970-01 0.573408850-01	0.36746142b+00 0.14079194b+00 0.17614429b+00 0.20344279b+00 -0.27611346b+00 0.56484398b-01 0.62892827b-01

W. T.

of coefficients,  $\omega_j$  , of the polynomials of degrees 3 through 7 to approximate the marginal density function,  $g(\hat{\tau})$  , which are given by

(3.1) 
$$\hat{g}(\hat{\tau}) = \sum_{j=0}^{p} \omega_j \hat{\tau}^j$$
,  $p=3,4,5,6,7$ ,

for each of the six Old Tests.

Figure 3-1 presents these resultant five polynomials approximating the density function, g(t), for each of our six Old tests. In the same figure, also presented is the set of  $t_{\rm g}$ 's, in the form of a frequency distribution with the subinterval width of 0.25. We can see in this figure that Subtest 5 has the smoothest frequency distribution, and, as we proceed up to Subtest 9, the frequency distribution becomes less smooth. This phenomenon is the result of the reduction in the amount of test information, as we can see in Figure 2-1 in the preceding chapter. We can also see in Figure 3-1 that the frequency distribution of Subtest 4 has a high irregularity around t = 0.0, and this is again due to the small amount of test information around  $\theta = 0.0$ , as is shown in Figure 2-1.

We have observed with Subtest 2 (Samejima, RR-80-4) that, regardless of the high irregularity of the frequency distribution of t<sub>s</sub> and the resultant low degree of fitness of the polynomial, the estimation of the item characteristic functions turned out to be quite successful. For this reason, without trying to increase the degree of the polynomial nor using several polynomials for the subintervals to increase the fitness, we simply adopted the polynomial of degree 4 in each of the six situations. The choice of the degree 4 over the others is based upon the fact that in the previous studies we compared the results obtained by using the polynomials of degrees 3 and 4, and sometimes included the one obtained by using the polynomial of degree 5, and the resultant estimated item characteristic functions in Degree 4 case turned out to be just as good as we could wish for. These polynomials of degree 4 are shown as larger graphs in Figure 3-1 for the six Old Tests.




FIGURE 3-1

Estimated Density Function,  $\hat{g}(\hat{\tau})$ , Obtained by the Method of Moments as a Polynomial, Together with the Relative Frequency Distribution of the Five Hundred  $\hat{\tau}$ 's, for Each of the Six Subtests. The Degrees of the Five Polynomials Are 3, 4, 5, 6 and 7.

Constant State of the Constant




FIGURE 3-1 (Continued)




FIGURE 3-1 (Continued)




FIGURE 3-1 (Continued)




FIGURE 3-1 (Continued)




FIGURE 3-1 (Continued)

# IV Estimation of the Item Characteristic Functions of the Ten Binary Test Items

As was the case with the previous studies (Samejima, RR-77-1, RR-78-1, RR-78-2, RR-78-3, RR-78-4, RR-78-5, RR-78-6, RR-80-4, RR-81-2), ten binary test items, which follow the normal ogive model given by (2.2) and whose parameters,  $\mathbf{a}_h$  and  $\mathbf{b}_h$ , are shown in Table 4-1, were chosen as unknown test items, whose item characteristic functions, i.e.,  $\mathbf{P}_{\mathbf{x}_h}(\theta)$  for  $\mathbf{x}_h = \mathbf{m}_h = 1$ ,  $h=1,2,\ldots,10$ , are to be estimated.

We obtained the estimates of the conditional expectation and variance of  $\tau$  , given  $\hat{\tau}$  , which are given by

(4.1) 
$$\hat{\mathbf{E}}(\tau | \hat{\mathbf{t}}) = \hat{\mathbf{t}} + \mathbf{C}^{-2} \frac{\mathbf{d}}{\mathbf{d}\hat{\mathbf{t}}} \log \hat{\mathbf{g}}(\hat{\mathbf{t}})$$

and

(4.2) 
$$\hat{V}_{ar.}(\tau | \hat{\tau}) = c^{-2} [1 + c^{-2} \frac{d^2}{d\hat{\tau}^2} \log \hat{g}(\hat{\tau})]$$

where C is the target square root of the test information,  $\left[I^*(\tau)\right]^{1/2}$ , and g(t) is the polynomial of degree 4 obtained by the method of moments as the estimate of the density function, g(t), for each of the six sets of  $t_g$ 's obtained upon Subtests 4 through 9. In so doing we found that for some examinees the estimated conditional density,  $g(t_g)$ , assumed negative values, and they have to be excluded from the original set of data. They number five for Subtest 5, one for Subtest 6, two for Subtest 7, one for Subtest 8 and six for Subtest 9. We also found that for some other examinees the estimated conditional variance, which is given by (4.2), turned out to be negative values. There are two such examinees for Subtest 5, eight for Subtest 6, seventeen for Subtest 7, and twelve for Subtest 8. As the result, the total numbers of hypothetical examinees who are included in our data are: 500, 493, 491, 481, 487 and 492, for Subtests 4 through 9, respectively.

From the first two conditional moments of  $\tau$  about the origin we approximated the conditional density function,  $\phi(\tau|\hat{\tau})$ , of  $\tau$ , given

TABLE 4-1

Item Discrimination Parameter, a<sub>h</sub>, and Item Difficulty Parameter, b<sub>h</sub>, of Each of Ten Binary Items.

Item h	a <sub>h</sub>	b <sub>h</sub>
1	1.5	-2.5
2	1.0	-2.0
3	2.5	-1.5
4	1.0	-1.0
5	1.5	-0.5
6	1.0	0.0
7	2.0	0.5
8	1.0	1.0
9	2.0	1.5
10	1.0	2.0

?, following the Normal Approach Method of the Conditional P.D.F. Approach. Thus we have

(4.3) 
$$\phi(\tau|\dot{\tau}) = (2\pi\hat{\mu}_2)^{-1/2} \exp\{-(\tau-\hat{\mu}_1^{\dagger})^2/(2\hat{\mu}_2)\}$$
,

where

$$\hat{\mu}_1' = \hat{E}(\tau | \hat{\tau})$$

and

$$(4.5) \qquad \hat{\mu}_2 = \hat{\text{Var.}}(\tau | \hat{\tau})$$


We adopted Simple Sum Procedure of the Conditional P.D.F. Approach to estimate the item characteristic functions of the ten binary test items, as we did for Subtests 1, 2 and 3 (cf. RR-80-4, RR-81-2). Let  $\hat{P}_{\mathbf{x}_h}(\theta)$  be the estimated operating characteristic of the item score  $\mathbf{x}_h$  (=0,1,..., $\mathbf{m}_h$ ) of item h . We can write

(4.6) 
$$\hat{P}_{\mathbf{x}_{h}}^{(\theta)} = \hat{P}_{\mathbf{x}_{h}}^{[\tau(\theta)]} = \sum_{\mathbf{s} \in \mathbf{x}_{h}} \hat{\phi}(\tau | \hat{\tau}_{\mathbf{s}}) [\sum_{\mathbf{s} = 1}^{n} \hat{\phi}(\tau | \hat{\tau}_{\mathbf{s}})]^{-1},$$

where  $\phi(\tau|\tau_g)$  is the estimated conditional density obtained by the Normal Approach Method, which is given by (4.3).

Figures 4-1 through 4-6 present the resultant estimated item characteristic functions for the ten binary test items by dotted curves, which are based upon Subtests 4 through 9, respectively. In these figures, also presented are the corresponding estimated item characteristic functions which were obtained upon the original Old Test by dashed curves, the theoretical item characteristic functions by solid curves and the frequency ratios of the correct answer obtained by using subintervals of  $\theta$  with the width of 0.25 by jagged solid curves.

Comparison of these six sets of the estimated item characteristic functions indicates that, as the number of test items in the Old Test decreases, the accuracy of estimation also decreases. We can see in







FIGURE 4-1

Estimated Item Characteristic Function Based upon Subtest 4 (Dotted Curve), Obtained by the Simple Sum Procedure of the Conditional P.D.F. Approach and the Normal Approach Method, for Degree 4 Case, in Comparison with the One Based upon the Original Old Test (Dashed Curve), the Theoretical Item Characteristic Function (Smooth Solid Curve) and the Frequency Ratios of Those Who Answered Correctly (Jagged Solid Line).







FIGURE 4-1 (Continued)
Subtest 4

A ...







FIGURE 4-1 (Continued)
Subtest 4

THE STATE OF THE S







FIGURE 4-1 (Continued)
Subtest 4







FIGURE 4-1 (Continued) Subtest 4







FIGURE 4-2

Estimated Item Characteristic Function Based upon Subtest 5 (Dotted Curve), Obtained by the Simple Sum Procedure of the Conditional P.D.F. Approach and the Normal Approach Method, for Degree 4 Case, in Comparison with the One Based upon the Original Old Test (Dashed Curve), the Theoretical Item Characteristic Function (Smooth Solid Curve) and the Frequency Ratios of Those Who Answered Correctly (Jagged Solid Line).







FIGURE 4-2 (Continued)
Subtest 5

A COLUMN THE PROPERTY OF THE PARTY OF THE PA







FIGURE 4-2 (Continued)
Subtest 5







FIGURE 4-2 (Continued)
Subtest 5







FIGURE 4-2 (Continued)
Subtest 5







FIGURE 4-3

Estimated Item Characteristic Function Based upon Subtest 6 (Dotted Curve), Obtained by the Simple Sum Procedure of the Conditional P.D.F. Approach and the Normal Approach Method, for Degree 4 Case, in Comparison with the One Based upon the Original Old Test (Dashed Curve), the Theoretical Item Characteristic Function (Smooth Solid Curve) and the Frequency Ratios of Those Who Answered Correctly (Jagged Solid Line).

-







FIGURE 4-3 (Continued)
Subtest 6







FIGURE 4-3 (Continued)
Subtest 6







FIGURE 4-3 (Continued)
Subtest 6

المهرورة عمر المعرور عمر







FIGURE 4-3 (Continued)
Subtest 6

ſ

. .







FIGURE 4-4

Estimated Item Characteristic Function Based upon Subtest 7 (Dotted Curve), Obtained by the Simple Sum Procedure of the Conditional P.D.F. Approach and the Normal Approach Method, for Degree 4 Case, in Comparison with the One Based upon the Original Old Test (Dashed Curve), the Theoretical Item Characteristic Function (Smooth Solid Curve) and the Frequency Ratios of Those Who Answered Correctly (Jagged Solid Line).







FIGURE 4-4 (Continued)
Subtest 7







FIGURE 4-4 (Continued)
Subtest 7







FIGURE 4-4 (Continued)
Subtest 7

1

- 395<u>1377</u>80







FIGURE 4-4 (Continued)
Subtest 7







FIGURE 4-5

Estimated Item Characteristic Function Based upon Subtest 8 (Dotted Curve), Obtained by the Simple Sum Procedure of the Conditional P.D.F. Approach and the Normal Approach Method, for Degree 4 Case, in Comparison with the One Based upon the Original Old Test (Dashed Curve), the Theoretical Item Characteristic Function (Smooth Solid Curve) and the Frequency Ratios of Those Who Answered Correctly (Jagged Solid Line).

AND DESCRIPTIONS OF THE PARTY.







FIGURE 4-5 (Continued)
Subtest 8







FIGURE 4-5 (Continued)
Subtest 8







FIGURE 4-5 (Continued)
Subtest 8

A STATE OF THE STA







FIGURE 4-5 (Continued)
Subtest 8







FIGURE 4-6

Estimated Item Characteristic Function Based upon Subtest 9 (Dotted Curve), Obtained by the Simple Sum Procedure of the Conditional P.D.F. Approach and the Normal Approach Method, for Degree 4 Case, in Comparison with the One Based upon the Original Old Test (Dashed Curve), the Theoretical Item Characteristic Function (Smooth Solid Curve) and the Frequency Ratios of Those Who Answered Correctly (Jagged Solid Line).







FIGURE 4-6 (Continued)
Subtest 9







FIGURE 4-6 (Continued)
Subtest 9

A STATE OF THE STA







FIGURE 4-6 (Continued)
Subtest 9

ľ

. .






FIGURE 4-6 (Continued)
Subtest 9

Figure 4-1 that, for each binary test item, the estimated item characteristic function is fairly close to the theoretical item characteristic function. In fact, for items 2, 4 and 8, the approximations are even better than those based upon the original Old Test. We find, however, that for those items having difficulty parameters close to zero, i.e., items 5, 6 and 7, the approximations are worse. This is expected from the fact that the square root of the test information function of Subtest 4 assumes low values around  $\theta=0.0$ , as we have seen in Figure 2-1 .

## V Linear Regressions of the Maximum Likelihood Estimate $\tau_s$ on Ability $\tau_s$

Figure 5-1 presents the scatter diagram of our hypothetical examinees with respect to their ability levels,  $\tau_{\rm g}$ , and their maximum likelihood estimates,  $t_{\rm g}$ , for each of the six subtests. There are 500 plots in the first five graphs for Subtests 4 through 8, and 498 in the last graph for Subtest 9 (cf. Chapter 3). In each graph of Figure 5-1, also presented is a straight line with 45 degrees from the abscissa, which indicates the asymptotic unbiasedness of the maximum likelihood estimate. We can see in these graphs that for such subtests as Subtests 4, 7, 8 and 9 there are some isolated clusters resultant from small amounts of test information. In other words, there are subgroups of examinees whose response patterns, and consequently maximum likelihood estimates, are identical for such subtests. This tendency becomes more conspicuous as the number of test items in the Old Test decreases.

Table 5-1 presents the coefficients of the sample linear regression, of  $\dagger$  on ability  $\tau$ , which is given by  $\alpha\tau+\beta$ , for each of the six subtests. This sample linear regression is the best fitted linear function of  $\tau$  which makes the sum total of the squared discrepancies of  $\dagger$  minimal. The values of  $\alpha$  and  $\beta$  turned out to be very close to unity and zero, respectively, for all the six subtests. This is the reason why they are not drawn in Figure 5-1, and if they are, they will be indistinguishable from the 45 degree lines.

Close examination of each of the six scatter diagrams of Figure 5-1 reveals that the sample conditional distribution of  $\hat{\tau}$ , given  $\tau$ , is not too close to the normal distribution for certain ranges of  $\tau$  for Subtests 4, 7, 8 and 9. The error score,  $e_s$ , for each individual examinee s is defined by

(5.1) 
$$e_s = [\hat{\tau}_s - \tau_s][I*(\tau_s)]^{-1/2}$$

Since for all the subtests  $[I*(\tau)]^{1/2} = 3.5$ , we used this constant in




FIGURE 5-1

Scatter Diagram of  $\hat{\tau}$  Plotted Against  $\tau$  for Our Hypothetical Examinees, Which Is Based upon Each of the Six Subtests.




FIGURE 5-1 (Continued)

TABLE 5-1 Coefficients of the Sample Linear Regression of  $\hat{\tau}$  on  $\tau$ ,  $\alpha \tau + \beta$ , for Our Hypothetical Examinees, for Each of the Six Subtests.

Subtest	α	β
4	1.00266	0.00393
5	1.01779	-0.00650
6	1.01132	-0.00030
7	1.01634	-0.00251
8	0.99995	-0.00865
9	1.00918	0.01323

(5.1) instead of actual values of  $[I*(\tau_g)]^{1/2}$ . If the conditional distribution of  $\hat{\tau}$ , given  $\tau$ , is approximately normal, with the true ability  $\tau$  and the reciprocal of the square root of the test information function as the two parameters, then the error score e will distribute, approximately, normally with zero and unity as its two parameters.

The frequency distribution of the 500 error scores for each of Subtests 4 through 8, and the 498 error scores for Subtest 9, was obtained using the category width of 0.2 . Figure 5-2 presents these results in the form of histograms, together with the standard normal density function, which is drawn by a dotted curve in each of the six graphs. The chi-square test for the goodness of fit was made for each histogram against the standard normal density function by combining all the subintervals below e = -2.8 into one category, and all subintervals above e = 2.8 into enother, to give thirty categories in total and make the number of degrees of freedom in each chi-square test 29. As it turned out, for Subtest 4 we obtained  $\chi^2 = 32.812$ which provides us with 0.25 \chi^2 = 28.269,  $0.50 ; for Subtest 6, <math>\chi^2 = 18.878$ , 0.90 ;for Subtest 7,  $\chi^2 = 32.574$ , 0.25 < p < 0.50; for Subtest 8,  $\chi^2 = 33.695$ , 0.25 \chi^2 = 26.166, which provides 0.50 .




FIGURE 5-2

Frequency Distribution of the Error Score e (Solid Line) of Our Hypothetical Examinees, in Comparison with the Standard Normal Density Function (Dotted Curve).

## VI Discussion and Conclusions

Following the previous studies (Samejims, RR-80-4, RR-81-2), we have further investigated the effects of reducing the number of test items in our Old Test on the accuracy of estimation of the item characteristic functions of the ten binary test items, using the same combination of a method and an approach, i.e., Simple Sum Procedure of the Conditional P.D.F. Approach combined with the Normal Approach Method. As it turned out, we were able to successfully estimate the item characteristic functions with as few as eleven test items in our Old Test, i.e., Subtest 6. This is a substantial decrease from the thirty-five items of the original Old Test. It appears that an appropriate strategy is to select test items for the Old Test whose difficulty parameters are fairly evenly spaced over the interval of ability of our interest. Once again, the method of moments proved useful in the present study.

When fewer than eleven test items were used as the Old Test, i.e. Subtests 7, 8 and 9, the estimation of the operating characteristics was not so successful. We may conclude, therefore, the border line is between Subtest 6 and Subtest 7 to separate those which are acceptable as our Old Test and those which are not.

## REFERENCES

- [1] Elderton, W. P. and N. L. Johnson. Systems of frequency curves. Cambridge University Press, 1969.
- [2] Samejima, F. Estimation of latent ability using a response pattern of graded scores. Psychometrika Monograph, No. 17, 1969.
- [3] Samejima, F. A general model for free-response data.

  Psychometrika Monograph, No. 18, 1972.

## LIST OF ONR TECHNICAL REPORTS

- (1) Samejima, F. Estimation of the operating characteristics of item response categories I: Introduction to the Two-Parameter Beta Method. Office of Naval Research, RR-77-1, 1977.
- (2) Samejima, F. Estimation of the operating characteristics of item response categories II: Further development of the Two-Parameter Beta Method. Office of Naval Research, RR-78-1, 1978.
- (3) Samejima, F. Estimation of the operating characteristics of item response categories III: The Normal Approach Method and the Pearson System Method. Office of Naval Research, RR-78-2, 1978.
- (4) Samejima, F. Estimation of the operating characteristics of item response categories IV: Comparison of the different methods.

  Office of Naval Research, RR-78-3, 1978.
- (5) Samejima, F. Estimation of the operating characteristics of item response categories V: Weighted Sum Procedure in the Conditional P.D.F. Approach. Office of Naval Research, RR-78-4, 1978.
- (6) Samejima, F. Estimation of the operating characteristics of item response categories VI: Proportioned Sum Procedure in the Conditional P.D.F. Approach. Office of Naval Research, RR-78-5, 1978.
- (7) Samejima, F. Estimation of the operating characteristics of item response categories VII: Bivariate P.D.F. Approach with Normal Approach Method. Office of Naval Research, RR-78-6, 1978.
- (8) Samejima, F. Constant Information Model: A new, promising item characteristic function. Office of Naval Research, RR-79-1, 1979.
- (9) Samejima, F. and P. S. Livingston. Method of moments as the least squares solution for fitting a polynomial. Office of Naval Research, RR-79-2, 1979.
- (10) Samejima, F. Convergence of the conditional distribution of the maximum likelihood estimate, given latent trait, to the asymptotic normality: Observations made through the constant information model. Office of Naval Research, RR-79-3, 1979.

- (11) Samejima, F. A new family of models for the multiple-choice item.

  Office of Naval Research, RR-79-4, 1979.
- (12) Samejima, F. Research on the multiple-choice test item in Japan:

  Toward the validation of mathematical models. Office of Naval

  Research, Tokyo, Scientific Monograph 3, April, 1980.
- (13) Samejima, F. & R. L. Trestman. Analysis of Iowa data I: Initial study and findings. Office of Naval Research, RR-80-1, 1980.
- (14) Samejima, F. Estimation of the operating characteristics when the test information of the Old Test is not constant I: Rationale.

  Office of Naval Research, RR-80-2, 1980.
- (15) Samejima, F. Is Bayesian estimation proper for estimating the individual's ability? Office of Naval Research, RR-80-3, 1980.
- (16) Samejima, F. Estimation of the operating characteristics when the test information of the Old Test is not constant II: Simple Sum Procedure of the Conditional P.D.F. Approach/Normal Approach Method using three subtests of the Old Test. Office of Naval Research, RR-80-4, 1980.
- (17) Samejima, F. An alternative estimator for the maximum likelihood estimator for the two extreme response patterns. Office of Naval Research, RR-81-1, 1981.
- (18) Samejima, F. Estimation of the operating characteristics when the test information of the Old Test is not constant II: Simple Sum Procedure of the Conditional P.D.F. Approach/Normal Approach Method using three subtests of the Old Test.

  Office of Naval Research, RR-81-2, 1981.

APPENDIX

TABLE A-1

Coefficients of the Polynomials of Degrees 3 Through 6 Obtained by the Method of Moments Using the Interval of  $\theta$ , (-4.0, 4.0), to Approximate the Square Root of the Test Information Function for Each of the Six Subtests.


		-0-0	HOHAN		-0
	Subtest 9	0.18599054D 01 0.11859474D 00 -0.28337192D-01 -0.81065900D-02	0.176690890 01 0.116596740 00 0.297856210-01 -0.810659000-02 -0.423812180-02	0, 176490890 01 0, 170077350 00 0, 297856210-01 -0, 231217670-01 -0, 423812180-07 0, 844603700-03	0,180314750 01 0,170077350 00 -0,177734030-01 -0,231217470-01 0,464603700-03 -0,408588260-03
	Subtest 8	0.20168133D 01 -0.523225340-01 -0.75901590D-02 0.165933407-02	0.19492549D 01 -0.523225340-01 0.346338640-01 0.165933400-02 -0.307883500-02	0.194925490 01 -0.92811121D-03 0.34633864D-01 -0.1330706D-01 -0.307883509-02 0.84318976D-03	0.20794533D 01 -0.928111210-03 -0.136246567 00 -0.133307060-01 0.289580240-01 0.843189760-03
ent a <sub>k</sub>	Subtest 7	0.237854920 01 0.809805700-02 -0.206389130-01 0.214483310-03	0.229448010 01 0.809805700-02 0.319042720-01 0.214483310-03	0.229448010 01 0.756103930-01 0.319042720-01 -0.194766150-01 -0.383127390-02 0.110762430-02	0.236968360 01 0.756103930-01 -0.670574880-01 -0.194766150-01 0.110762430-02 -0.850283840-03
Coefficient	Subtest 6	0.284269080 01 0.325973740-01 -0.478850800-01 -0.246524220-02	0.274760930 01 0.325973740-01 0.115408690-01 -0.246524220-02 -0.433314210-02	0.274760930 01 0.104205990-01 0.115408690-01 0.400298390-02 -0.43314210-03	0.282440810 01 0.104205990-01 -0.892514470-01 0.400298390-02 0.145615300-01 -0.363837720-03
	Subtest 5	0.347192070 01 0.159392190-02 -0.880105240-01 0.16471406 D-03	0.328714410 01 0.159392190-02 0.274748480-01 0.164714060-03 -0.842080840-02	0.32871441D 01 0.10040261D 00 0.27474848D-01 -0.2865487D-01 -0.84208084D-02 0.16210800D-02	0.33028985D 01 0.10040261D 00 0.680382740-02 -0.286544870-01 -0.454923120-02 0.162108000-02
	Subtest 4	0.312069380 01 0.817646560-01 -0.15785980-01 -0.569945490-02	0.23414354D 01 0.81764656D-01 0.471257900 00 -0.56996549D-02 -0.35513078D-01	0.234143540 01 0.199050590 00 0.471257900 00 -0.399078520-01 -0.355130780-01 0.192422230-02	0.20653741D 01 0.19905059D 00 0.8335959TD 00 -0.39907852D-01 0.19242223D-02 0.311407466D0
ĸ		M / M G B	0 M M M M M M M M M M M M M M M M M M M	0 1 2 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 H 7 M 4 M 9 M 9 M 9 M 9 M 9 M 9 M 9 M 9 M 9

Coefficients of the Polynomial of Degrees 3 Through 7 Obtained by the Method of Moments Using the TABLE A-2

8	₹ •	R 8 R	8 9 8 ox)	3 3	# [E & S
Coefficient	2.69165 0.20035 0.16279 -0.02765	2.02871 0.20035 0.89938 -0.02765	2.02871 0.37170 0.89938 -0.11650 -0.09549 0.00888	1.97643 0.37170 1.02139 -0.11650 -0.13617 0.00888	1.97643 0.53506 1.02139 -0.27986 -0.13617 0.04882 0.00332
	0 H 2 E	0 H . 4	0 11 2 12 4 12 D 2 14 + 12	O 11 C 15 C 15 C 15 C 15 C 15 C 15 C 15	0 K 4 3 2 1 0 7 4 4 5 6 7 7 9 8 6 7 9 7 9 8 6 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9

LATEST TRAST

-----



## DISTRIBUTION LIST

		<b>F</b>	I	Air Perce
2	-	Technical Director U. S. Army Hearth Datitute for the	1 Br. Sabert Sessor U. S. Aray Reservet Institute for the Relational and Sected Sciences	5 Mar Perce Massa Resources Lab MFML/MPD Menals MPL 11 102-35
		Sont Electrons Avenue Letendrie, 78 22333	9001 Elsenhower Avenue Alexandria, VA 22333	1 9.5. Air Perce Office of Scientific
sourch and	-	Dr. Myron Flachl U.S. Army Mesearch Institute for the Gardal and Machanial Sciences	1 Commendant US Army Institute of Aministration Atts: Dr. Sherrill	Life Sciences Mrectorate, E. Dalling Air Perce Mase Basington, Dr. 2032
		5001 Elsenhouer Avenue Alexandria, VA 22333	FT Besjanis Berison, Dr 46256	1 Pr. Berl A. Alleded HO, sevent (#50)
	-	Dr. Duzter Fletcher U.S. druy Beserch Institute 5001 Elembour Arenus Alexandria VA 2233	Dept. of May Chief of May Operations Op-113 Markington, DC 20250	Broats AFB, TX TR255 1 Research and Mesurement Division Desearch English, MFHC/MCTFF
	-	Dr. Hilton S. Ketz Tatining Technical Area U.S. Arey Research Institute 5001 Elembour Areaus		Associate AFB, TX 78148  1 Sr. Malcola See AFBELTAE Brooks AFB, TX 78235
	•	Alexandria, VA 22333  Dr. Marold F. O'Meil, Jr. Attn: PERIOR Army Research Institute		1 Dr. Marty Machany Technical Mirecor AFMEL(OT) Hillians AFD, AZ 58228
	-	5001 Eisembower Arenue Alexandria, WA 22333 LTC Michael Plummer Chief, Lendership & Crganizational Effectiveness Edvision Office of the Dapary Chief of Steff		1 Dr. Prant Schwileteautt U.S. Air Perce ATC/XTD Randolph AFB, TX 78148
	-	for Personnel Dept. of the Aray Pestagon, Machington DC 20301 DB. JAMES L. MANEY U.S. AMMY RESEARCH INSTITUTE 9001 EISCHNOREN AVENUE ALEXANDEL, WA 22313		
	-	Wr. Mebert Boss W.S. Army Messerch Institute for the Bockel and Mehavioral Sciences 5001 Elsenhouer Armine		

Dr. Amdrew R. Wolmer Science Education Dev. and Research Mattenal Science Foundation Membrington, DC 20550 Jerry Lehaus REDIOMAL PSTORCAGEST U.S. Office of Personnel H 230 S. VEAROOM STREET CHICAGO, IL 60608 C1v11 Gevt Military Assistant for Training and Personnel Technology Office of the Under Secretary of Defense for Messarch & Engineering Hose 2012y. The Pentagon Mashington, DC 20301 Defense Technical Information Center Comeron Station, Midg 5 Alexandria, Va 22314 Attn: TC Dr. Weyne Sellman Office of the Assistant Secretary of Defonse (Min & L) 25509 The Pentagon Weshington, DC 20301 Director, Reserch and Data OASD(MEAL) 38919, The Pertagon Weshington, DC 20301 Dr. William Graham Testing Directorate WEPCOM/WEPCI-P Ft. Sheridam, IL 60037 1400 Wilmin Mvd. Arlington, VA 22209 Other Do 2 Chief, Paychological Reserch Branch U. S. Coast Quard (G-P-1/2/TP42) Machington, DC 20593 Mr. Themas A. Merm U. S. Coast Guard Institute P. O. Substation 18 Oklahoma City, OK 73169 CoestQuerd Director, Office of Manpower Utilization MO, Marine Corps (MPU) MCB, Midg. 2009 Quentios, VA 22134 Mejor Nowerd Langdon Bedquerters, Merine Corps OTTI 31 Arlington Annex Columbia Pike at Arlington Eddge Md. Arlington, VA 20380 Meadquarters, U. S. Marine Corps Code MPI\_20 Washington, DC 20360 DE. A.L. SLAFEDSHY
SCIENTIFIC ADVISOR (CODE ND-1)
NQ. U.S. MARINE CORPS
WASHINGTON, DC 20380 Major Michael L. Patrow, USHC Headquarters, Marine Corps (Cade NPI-20) Manilagton, DC 20380 Special Assistant for Marine Orga Matters Oads 100H M. William Greenup Education Advisor (E031) Education Center, MCDEC Quantico, VA 22134 Office of Meval Meserch 600 W. Quincy St. Arlington, VA 22217

Dr. Lorraine D. Eyde Personnel MLD Center Office of Personnel Management of USA 1900 Extract MI Manhiagton, D.C. 20415

Dr. N. Wallace Stabiles Pregram Director Nanpower Desearch and Advisory Services Mattheonies Institution 801 Horth Pitt Street Alexandria, VA 22314

Dr. Vern M. Urry Personnel BMD Center Office of Personnel Management 1900 E Street M Meshington, DC 20415

Dr. Jeseph L. Toung, Director Namory & Cognitive Processes National Science Foundation Markington, DC 20550

Ton Cove	Hon Gert	Non Chrt	Men Govt
Nr. 1911ng B. Anderson	1 Listann Scientists		T. Majett L. Fairbest, T.
Department of Metistics	Office of Mayal Mesearch,	Stept. of Pay. soleny	McFann-Gray & Associates, Inc.
Mandle transfe 6	Franch Office , Landon	Univ. of So. California	5825 Callaghen
Carlo Carlo	The 10 th Case Tory 0651	Ibiseralty bark	Suffe 2X
the following the second second	CO WINE TO LEG TON		On this case Such think
			Sell disconie, teres (DCCO
1 paych logical research unit	and it. Quinc. St.	To the state of th	Dr. Leonerd Feldt
Dept. of Delense (Army Office)	#~# 80¶	Mrector, Jose Teating Program	Lindustry Center for Messuraent
Campbell Park Offices	Arl.rgton, VA 22217	32 Lindquist Center	University of Jour
Camberra ACT 2600 Asstralla		University of least	Jour City, IA 52242
	CECC IN LEGISLATION IN	form City Is \$2202	
	The Part of the State of the Part of the P		On Mahand 1 Properties
aducational resting service		i or meredita P. Creatord	THE METICAL COLLEGE TOPKING THEFT
Princeton, EJ 06450	Ioum City, IX 52240	Merica: Paychological Association	P.O. 101
		1200 17th Street, M.M.	Jour City, 14 \$22%
Capt. J. Jean Malanger	- DM. C. TICTON BUNDERSON	Weshington, IC 20036	
Training Development Division	WICAT 2xc.	-	Dr. Victor Fields
Canadian Forces Truining System	UMINEPSITY PLAZA, SUITE 10	1 Director	Brot. of Parchotary
College Of Prenton	1160 SC. STATE ST.	Mehantoural Manney Division	Mantageore Callere
Section 1 Section 1	Office of Back	The state of the s	
But to the second		TO THE TRATE OF THE TOTAL OF TH	MOCHATITA' NO COGO
•		Environmental Madicine	
	T Or. Anthony Concelli	Yest Office Hos 2000	Galv. Wof. W. Gerberd Flacher
School of Mucation	School of Mucation	Washington, Ortanio mil 189	Liebiggease 5/3
University of Attacha	University of Arizona	CANADA	A 1010 Vienos
Turcon AZ 85721	Tutcon, AZ 85721		AUSTI IA
		1 Dr. Pritt Brancov	
	1 the John 2 Carrell	Tele School of Gremitzetion and Management	Professor Boald Fitmersia
Property Managed	Water State Co. Lab	Walte State of the	The factor of the Project
	this of the Carelina		(market) - 100 - 1
	The state of the s		A STATE OF THE PARTY STATES CO.
MAA MOTORT MED COMMENCE	TALL STATE OF THE PARTY OF THE	men maken, ci ubyzu	AUS I RALLA
Metherde, ND Z0014	Chapte Hall, Mc 27514	4 4 4	
	:	Dr. Mayin D. Dunnette	St. John H. Preseritien
Dr. Mencha Milesback	Charles Ayers Library	Personnel Decisions Mesearch Institute	Wit British & Beller
School of Mucation	Livingstone House	2015 Foshay Joseph	50 Houlton Street
Tol 6-19 University	Livingstone Boad	821 Marguette Avenue	Cambridge, Na 02135
Tel driv. Rangt driv 69978	Stratfo' J	Minespolis, MR 95802	
	Landon E15 2LJ		the animal causes
	ENGAND	1 Hile Drineser	192
The Market Marks		Datemational Process Danaloguest	CONTRACTOR OF PETERSONS
	The Respect to the Control of the Co	Mind of the base of the party o	MALFERDII OF FAILMBONGS
	Collection of the R Selection	of Tuesday	MASS O'MARK STREET
restruct 20 50 03	Callege of grant a Scrences		PITTIBURCH, PA 15213
D-5300 four 2	University of Rochester	Great Labes MTC, IL 60068	
HEN GENANT	Miver Campus Station		Dr. Non Masbleton
	Mochester, NY 18627	1 Ellic Facility-Acquisitions	School of Education
Dr. 1. Marrel Bock		4833 Bugby Avenue	University of Massechusetts
Department of Education		Betheads, MD 20018	Amberst, MA 01002
University of Oriento			

Bon Govt	1 Dr. Madin Shibay Department of Psychology University of Central Florida Orlando, FL 12816 DESIGN 1 Dr. Mobert Smith Department of Computer Science Nagera University New Wigera University New Wigera University	-	<b>.</b>	School University of the second of the secon	1 Dr. Kinasi Tatauoka Computer Based Education Massarch Laboratory 52 Deginering Reserve Laboratory University of Illinois Urbana, IL 61801	1 Br. Enviol Thissen Department of Psychology University of Ennass Lawrence, ES 66044 1 Br. Robert Tuttaken Department of Statistics University of Missours Columbia, NO 65201
Bea Cort	1 MM. LUIGI PETRULLO 2431 W. EDGROOD STREET ARLINGTOM, VA. 22207 1 DM. DIAME M. RANSET-KLEF R-K RESEARCH & STSTEM DESIGN 3947 DIDGENONT DMINE MALIBU, CA. 90265	1 MINNAT W. L. RAUCH P II 4 BURDESHIEISTERIUM DER VERTEIDIGUNG FOSTFACH 1228 D-53 BOHN 1, GERMANT	1 Dr. Mark D. Beckase Educational Paychology Dept. University of Missouri-Columbia 8 Mill Mell Columbia, MO 65211 Dr. Leonard L. Bosenbaue, Chairmen 1 Dr. Leonard L. Bosenbaue, Chairmen Weperfesett of Psychology Montenmery Collane	Meckelle, 70 20650  1 Dr. Laurence Madner  403 Els Avesus  1 Dr. J. Nyan  1 Dr. J. Nyan  1 Dr. J. Nyan  1 Dr. J. Stan	Columbia, SC 29208  1 De. BCBERT J. SEIDEL INSTHUCTIONAL TECHNOLOGY GROUP BUN RED 300 H. MASSIMOTON ST. A PERMINET A. 20228	Alchamorin, vs 62314  1 Dr. Kamo Shigemen  Eniversity of Tabelu  Empertment of Educational Psychology  Kawauchi, Sendai 980  JAPAN
Bon Qert	1 Dr. McNert Line College of Education Walversity of Illinois Urbanc, IL 6180; 1 Dr. Prederick N. Lord Mucetional Prating Service Princeton, MJ 06540	1 Dr. James Lunaden Deverstent of Psychology University of Nestern Australia Endlands W.A. 6009 AUSTRALIA	Mucetional Testing Service Mucetional Testing Service Princeton, M. (6450 1 Er. Scott Marwell Department of Psychology Malversity of Mouston Mouston, 73 77004	1 Dr. Smauel T. Mayo Loyola University of Chicago 827 Morth Michigan Avenue Chicago, IL 60611 1 Professor Jeson Miller Bepartment of Education Score Hell Education Cornell Indiversity	Ithecs, NY 18653 1 Dr. Welvin R. Hovick 356 Lindquist Center for Messument University of loss Jose City, IA 52242	1 Dr. Jesse Orlansky Institute for Defense Analyses 800 Army Many Drive Arlington, Wa 22202 1 Dr. James A. Paul non Portland State University F.O. Box 751 Portland, OR 97207
Ben Govt	Dr. Chester Marris Schwig of Munchios Milveraity of California Smale Marbers, CA 93106  1 Dr. Lloyd Mamphreys Walveraity of Filthcis Champeign, IL 61820	1 Library Banticofesters Metaton 27857 Servick Drive Carsel, C. 93921	1 Pr. Steven Manisa Department of Education Enteraity of Alberta Enteroise, Alberta CAMAIN. 1 Dr. Jeck Manter 2122 Coolidge St. Lenning, NI 98906	1 Br. Maynh Maynh Collage of Bucarion Materaty of South Carelina Columbia, Sc 29206 1 Professor John A. Knets Maiveraty of Necessite AUSTRALIA 2306	Br. Michael Lavine Department of Educational Psychology 210 Education Eldg. University of Illinois Chempsign, IL 61801	Pr. Cheries Lawis Pecultati Sociale Wetenschappen Rijszaiversitati Groningen Onde Bebringestrast 23 9712C Groningen Wetherlands

Ļ

	The State	Pa Cart	160	Bery
=	R. Jane Che	1 Nr. P. Hagel	1 Pr. J. Blass	
	35 Linduist Cater for Magazinant	Paculto' de Peychologie	Perceptronics, Inc.	
	Jone City, 10mm 32240	On twee strengts of 1 tournion	West and the second	206 O'Keefe Building
•		3 fl. de l'Universite	modram mile, ca y 304	Atlanta, GA 30332
-	F. Puglas Carrell	1201 Geneve SWITZERLAND	1 Dr. Houard Malmer	
	600 Membrale Aut.	•	Mylsion of Psychological Studies	Array
	Marray 2111, 8.3. 07974	Vahernes Ondervisiahunde	Mucational Testing Service Princeton 11 next	
		Postlas 217	Orcho de Caracteria	1 Dr. Landall M. Chambers
~	Mr. Bebert Galen	7500 EA Bachede	1 Dr. Breid J. Meine	
	Department of Poychalogy	The Bether lands	Mide Elliott Ball	for the Behavioral 6 Social
	Morting Green Mete Walveredty		Malvaratty of Minasota	Sciences
	Bredding Green, OR 47403	1 Pr. Lats Bornke	75. E. Bluer Bank	Port Sill Pield Unit
•	; ;	University Desseldorf	Mineeasolis, Nii 55855	
4	F. Hol The	Brs. 1150s.		Part \$111, OK 73903
	Supertness of Information Systems	D-4000 Desseldorf	1 DE SUSAN F. WRITE!Y	
	Planeing.	WEST CERNAT	DESCRIPTION OF PERSONS	
	Maineratty of Pittoburgh			
	Pirtoheryk, Pa. 15260	1 br. Wolfeme Dechtals	TAMBERS TO PARES CANAL	
(	4	_	CHARLETTE, ALBORD COUNT	
4	Dr. Hart 7. Stein	Postfach 1306	The Part of the Pa	
	Department of Perchology	Industriastrasse 1		
	The John's Reptine University	WEST CENELAT	Por 20 50 03	
	CHARLES BY JATE STREET		25,000 Boss 2	
	Maltimere, W 21215	1 Pr. Albert beaten		
•		Mecational Teating Service		
-	Dr. Han Manhiston Deltasi of Managian	Princetes, New Jersey 08450		
	Patracetty of Managers			
	Anhers III MAN	I W. Materiori Ballie		
		Paculty of Macation		
-	Dr. William W. Terribell	CENTRESTE OF 10Cyc		
ı	Mesetional Testine Service			
	Princeton, EJ 60540	interpo, depart all		
•		1 Mr. Tabilhiro Megachi		
4	Mr. Imac 1. bejor	Paculty of Mucation		
	Department of Psychology	University of Tokyo		
	Elifor Ibil	Mare Marketin		
		Tokye, Japen 113		
	attendence, at 19000			
-	Total Phone	1 Dr. Takahiro Sato (Representative)		
•	Description: of Persons Acres	Application Research Laboratory		
	Period Cross Press Privates	Central Research Laboratories		
	Desiling Green, Off. 43403	Elgon Electric Co., Ltd.		

The first state of the latter